



COPY OF PAPERS
ORIGINALLY FILED




FIG. 6

RECEIVED
AUG-5 2002
TC 2800 MAIL ROOM



COPY OF PAPERS
ORIGINALLY FILED

RECEIVED
AUG-5 2002
TC 2800 MAIL ROOM




FIG. 5

FIG. 5 is a perspective view of the apparatus of FIG. 1, showing the device under test mounted on the chuck, and the light source positioned to illuminate the device.

FIG. 5 is a perspective view of the apparatus of FIG. 1, showing the device under test mounted on the chuck, and the light source positioned to illuminate the device.



COPY OF PAPERS
ORIGINALLY FILED

RECEIVED
AUG-5 2002
TC-2800 MAIL ROOM




FIG. 4B



COPY OF PAPERS
ORIGINALLY FILED

RECEIVED
AUG-5 2002
TG-2800 MAIL ROOM




FIG. 4A



COPY OF PAPERS
ORIGINALLY FILED

RECEIVED
AUG-5 2002
TC 2800 MAIL ROOM




FIG. 3




FIG. 5



COPY OF PAPERS
ORIGINALLY FILED

RECEIVED
AUG-5 2002
TG-2800 MAIL ROOM




FIG. 1




FIG. 2A




FIG. 2B